

2025

TILLAGE



FAMILY OWNED AND OPERATED SINCE 1962

**580-234-3434
800-299-4300**

**5606 N. US 81 HWY,
ENID, OK. 73701**

WAKOLLC.COM





DISC BLADES (Rollable)

Long Wearing, Abrasion Resistant, Chrome Boron

STANDARD CONCAVE

SIZE	THICKNESS
22"	7 Gauge
22"	6 Gauge
22"	1/4 Inch
24"	7 Gauge
24"	6 Gauge
24"	1/4 Inch
26"	1/4 Inch




COULTER BLADES

PLAIN/FLUTED/CRUCIBLE/TURBO/WAVY

SIZE	THICKNESS	DESCRIPTION
17"	4.0mm	WAVY
17"	4.5mm	FLUTED
18"	4.5mm	PLAIN
20"	4.5mm	PLAIN
20"	4.5mm	FLUTED
20"	4.5mm	CRUCIBLE
20"	4.5mm	TURBO
22"	4.5mm	PLAIN
22"	5.0mm	PLAIN 6 BOLT SPECIAL
24"	5.0mm	PLAIN, 8 HOLE
24"	6.0mm	HEAVY SINGLE BEVEL, 6 BOLT
24"	6.0mm	DOUBLE BEVEL, 6 BOLT

FLUTED COULTER



PLAIN COULTER



TURBO COULTER



CRUCIBLE COULTER



WAKO FIELD CULTIVATOR SWEEP

PLAIN

1/4" THICK
47° STEM ANGLE



PART NUMBER	DESCRIPTION
TSFCM09PL*	9" FIELD CULTIVATOR SWEEP 1/4" PLAIN
TSFCM10PL*	10" FIELD CULTIVATOR SWEEP 1/4" PLAIN
TSFCM11PL*	11" FIELD CULTIVATOR SWEEP 1/4" PLAIN



STEALTH CAPPED AND HARDFACED WAKO FIELD CULTIVATOR SWEEP



STEALTH CHROME CAPPED AND HARDFACED BY WAKO

1/4" THICK
47° STEM ANGLE

STEALTH
CHROME CAP

PART NUMBER	DESCRIPTION
TSFCM09HF	9" FIELD CULTIVATOR SWEEP 1/4" HARDFACED
TSFCM10HF	10" FIELD CULTIVATOR SWEEP 1/4" HARDFACED
TSFCM11HF	11" FIELD CULTIVATOR SWEEP 1/4" HARDFACED

WAKO CHISEL SPIKE

CHROME CAPPED

WAKO MANUFACTURED CHISEL SPIKES
2" WIDE

2-1/4" BOLT HOLE CENTERS

PART NUMBER	DESCRIPTION
TCS8	TALON CHISEL SPIKE 3/4" THICK, CAPPED REQUIRES 1/2" PLOW BOLT
TCS8XH	RAPTOR CHISEL SPIKE 1" THICK, CAPPED REQUIRES 1/2" HEX HEAD BOLT



HEAVIEST ON THE MARKET



WAKO CHISEL HEEL SWEEP

5/16" THICK

50° STEM ANGLE LONG WEARING BORON STEEL AR-1

PART NUMBER	DESCRIPTION
TSCH18*	18" CHISEL HEEL SWEEP PLAIN
TSCH18HF	18" CHISEL HEEL SWEEP HARDFACED



WAKO CHISEL SWEEP 5/16" Thick

PLAIN

STANDARD CROWN
50° STEM ANGLE

5/16" Thick

PART NUMBER	DESCRIPTION
TSCMF18HPL*	18" CHISEL SWEEP PLAIN
*NOT PAINTED	
HARDFACED/CHROME CAPPED NOSE	
STANDARD CROWN 50° STEM ANGLE	
5/16" Thick	
PART NUMBER	DESCRIPTION
TSCMF18HHFC	18" CHISEL SWEEP HF BOTTOM/CAPPED

WAKO LOW CROWN CHISEL SWEEP 5/16" Thick

PLAIN

LOW CROWN
50° STEM ANGLE

5/16" Thick

PART NUMBER	DESCRIPTION
TSCMX18HPL*	18" LC CHISEL SWEEP PLAIN
*NOT PAINTED	
HARDFACED/CHROME CAPPED NOSE	
LOW CROWN 50° STEM ANGLE	
PART NUMBER	DESCRIPTION
TSCMX18HHFC	18" LC CHISEL SWEEP HF BOTTOM/CAPPED





PENETRATOR FAMILY
WHEN YOU WANT TO MOVE DIRT AND KILL WEEDS
WAKO CHISEL PENETRATOR SWEEP

5/16" Thick

HARDFACED/CAPPED WITH CHROME CAP
(Will not sell plain)



50° STEM ANGLE
 5/16" THICKNESS
 1/2" PLOW BOLT, 2-1/4" CENTERS

PART NUMBER	DESCRIPTION
TSCP08HHFC	8" PENETRATOR HF TOP/CAPPED
TSCP10HHFC	10" PENETRATOR HF TOP/CAPPED
TSCP12HHFC	12" PENETRATOR HF TOP/CAPPED
TSCP18HHFC	18" PENETRATOR HF TOP/CAPPED



CHISEL SWEEP
ULTRA WING/TERMINATOR



PLAIN

STANDARD CROWN
 50° STEM ANGLE
 5/16" THICKNESS

5/16" Thick

PART NUMBER	DESCRIPTION
TSCAT18	18" CHISEL SWEEP 5/16"

While supplies last. Discontinued.



WAKO V-BLADES

HARDFACED NOSE HARDFACED TOP OR BOTTOM

PART NUMBER	DESCRIPTION
TSWB5HFT	5' TOP HF
TSWB5HFB	5' BOTTOM HF
TSWB55HFT	5-1/2' TOP HF
TSWB55HFB	5-1/2' BOTTOM HF
TSWB6HFT	6' TOP HF
TSWB6HFB	6' BOTTOM HF



HARDFACED NOSE


CHROME CAPPED NOSE HARDFACED TOP OR BOTTOM

PART NUMBER	DESCRIPTION
TSWB5HFTC	5' TOP W/ CAP NOSE
TSWB5HFBC	5' BOTTOM W/ CAP & HF NOSE
TSWB55HFTC	5-1/2' TOP W/ CAP & HF NOSE
TSWB55HFBC	5-1/2' BOTTOM W/ CAP & HF NOSE
TSWB6HFTC	6' TOP W/ CAP & HF NOSE
TSWB6HFBC	6' BOTTOM W/ CAP & HF NOSE




CHROME CAPPED NOSE

V-SWEEP SHANK PROTECTOR



Part # TSWP

V-SWEEP ANHYDROUS TUBES



Part # KTU55 5 AND 5-1/2'
Part # KTU6 6'




PACKAGED PLOW BOLTS, LOCK WASHER AND NUT



50, Grade 5 Plow Bolt, Lock Washer and Nut
Boron Steel for longer headwear.

PART NUMBER	SIZE	PACKAGE INCLUDES
FPB38114PACK	3/8" X 1-1/4"	50 EACH
FPB38112PACK	3/8" X 1-1/2"	PLOW BOLT, LOCK WASHER NUT
FPB76114PACK	7/16" X 1-1/4"	
FPB76112PACK	7/16" X 1-1/2"	
FPB76134PACK	7/16" X 1-3/4"	
FPB12114PACK	1/2" X 1-1/4"	
FPB12134PACK	1/2" X 1-3/4"	
FPB12212PACK	1/2" X 2-1/2"	
FPB12234PACK	1/2" X 2-3/4"	
FPB123PACK	1/2" X 3"	



ALSO AVAILABLE IN BULK



PACKAGED PLOW BOLTS AND WHIZNUTS

50, Grade 5 Plow Bolt and Over Sized Nut

Boron Steel for longer headwear.

PART NUMBER	SIZE	PACKAGE INCLUDES	
		50 EACH	
FPB12112PACKOSN	1/2" X 1-1/2"	PLOW BOLT,	
FPB12134PACKOSN	1/2" X 1-3/4"	OVERSIZED NUT	

ALSO AVAILABLE IN BULK

50, Grade 5 Plow Bolt and WhizNut

Boron Steel for longer headwear.

PART NUMBER	SIZE	PACKAGE INCLUDES
FPB38114PACKWHI	3/8" X 1-1/4"	50 EACH
FPB38112PACKWHI	3/8" X 1-1/2"	PLOW BOLT,
		LOCK WASHER
FPB76114PACKWHI	7/16" X 1-1/4"	NUT
FPB76112PACKWHI	7/16" X 1-1/2"	
FPB76134PACKWHI	7/16" X 1-3/4"	
FPB12114PACKWHI	1/2" X 1-1/4"	
FPB12134PACKWHI	1/2" X 1-3/4"	
FPB12212PACKWHI	1/2" X 2-1/2"	
FPB12234PACKWHI	1/2" X 2-3/4"	
FPB123PACKWHI	1/2" X 3"	

ALSO AVAILABLE IN BULK





BIG COUNTRY EQUIPMENT

26'-62' BCW FRAME WITH BULL SHANK SYSTEM

SO MANY OPTIONS:



- **DEEP TILL** - MINI-RIPPER
- **PRIMARY TILL** - 50° ADAPTOR AND RAPTOR SPIKE
- **FULL TILL** - 50 ADAPTOR° AND PENETRATOR SWEEP OR STANDARD CHISEL SWEEP
- **MINIMUM TILL** - 20" OR 22" FIELD FINISHER SWEEP (NH3 OPTION)
- **VERTICAL TILL** - SOIL MANAGER 75 (SM75)
- **STRIP-TILL** - RZM (AVAILABLE IN 12, 16, 18, 24 ROWS , 30" CENTER)
- **NO-TILL** - NTO II COULTER, OFFSET APPLICATION
- **FERTILIZER APPLICATION** - KNIVES, (DUAL TUBES & SEALERS OPT.)

VERTICAL TILL SM75



PENETRATORS





BIG COUNTRY EQUIPMENT

(BCW) 4" X 6" FRAME:

Tough enough to withstand high horsepower tractors



**Big Country Wagon (BCW)
Mini-Rippers**

Wako 4 Row Harrow

MINI-RIPPERS



22" FIELD FINISHER SWEEP



**(580) 234-3434
(800) 299-4300**


**5606 N US HWY 81
ENID, OK 73701**

wakollc.com



BIG COUNTRY WAGON (BCW) OPTIONS


MINI-RIPPER



**RENRIPPER POINT
CHROME EDGE**

GRAZED OUT WHEAT PASTURE
FIRST PASS AFTER HARVEST
MAXIMUM DEPTH
OPENS SOIL FOR MOISURE INTAKE

BULL SHANK ASSEMBLY



EXTRA STRENGTH
NO PINS, SPRINGS OR
BUSHINGS TO WEAR OUT OR BREAK
EXTRA TRAVEL MOVEMENT
2 PIECE FOR ACCESSIBLE
REPLACEMENT

CHISEL

BIG COUNTRY 50° ADAPTOR
RECEIVES ANY 50° SWEEP OR SPIKE



SIDE VIEW

Bolts to the
Bull Shank



FRONT VIEW

Bolt on your
sweep or spike.



18" CHISEL SWEEP

FULL TILL
WEED KILL



CHISEL SPIKE

- PRIMARY TILL
RIPPING

50° ADAPTOR



**PENETRATORS
8", 10", 12" 18"**


- FULL TILL
WEED KILL

50° ADAPTOR

PART # KSHC1200A

FIELD FINISHER/FALLOW SWEEP

**BIG COUNTRY
20" or 22" FIELD FINISH/FALLOW SWEEP
CAPPED AND HARDFACED BOTTOM**




**5/16"
Thick**

CHROME CAP ON CUTTING EDGE

CHROME CAP


PART # KKNC560SAHHFC 20"
PART # KKNC561SAHHFC 22"

**BIG COUNTRY
FROG 20" or 22" SWEEP**



PART # KKNC560BC NO TUBE
PART # KKNC560BCNH3 3/8" NH3 TUBE

**BIG COUNTRY FF/FS
COMPLETE UNIT**



WEED KILL
LEAVES 90% RESIDUE ON SURFACE
LAST PASS
USE FOR NH3 APPLICATION

BIG COUNTRY (BCW) OPTIONS

VERTICAL TILLAGE



**SM-75
SOIL MANAGER
CUTS EVERY 7.5 INCHES
HIGH SPEED PROCESS**

AERATES
CHOPPING
WATER ABSORPTION
SEEDBED PREPARATION

17" WAVY



20" NOTCHED



FERTILIZER KNIVES MANY CHOICES



AGGRESSIVE SOIL DISTURBANCE
SEALS WELL
WORKS IN WET CONDITIONS



MINIMAL SOIL DISTURBANCE
SEALS WELL
VAPOR TUBE




LOW SOIL DISTURBANCE
STRIP-TILL
NO CONTINUOUS SLOT

FOR A COMPLETE LINE OF KNIVES SEE OUR FERTILIZER KNIVES CATALOG

NO-TILL OFFSET II UNITS



NO-TILL
MINIMAL
DISTURBANCE
HIGH SPEED





WAKO FLEX HARROW ATTACHMENT FOR YOUR FIELD CULTIVATOR OR CHISEL

Every field
deserves soil
perfection.



So we made our harrows compatible with all machines.



NEED FOR QUOTE:

- IMPLEMENT TYPE
- FRAME SIZE AND WIDTH
- SECTION SIZE
- NUMBER OF SHANKS PER SECTION
- SHANK SPACING

Long lasting chrome insert on every tine.

(580) 234-3434
(800) 299-4300

5606 N US HWY 81
ENID, OK 73701

wakollc.com





9 ROW WAKO XT FLEX HARROW



Long lasting chrome insert on every tine.

AVAILABLE IN WIDTHS OF 25'-51'

PART NUMBER SIZE

Z5000-25	25	
Z5000-28	28	
Z5000-31	31'	
Z5000-33	33'	
Z5000-34	34'	
Z5000-36	36'	
Z5000-39	39'	
Z5000-42	42'	
Z5000-45	45'	
Z5000-51	51'	





SOIL COMMANDER YOUR GO TO IMPLEMENT



SIZES	25'	31'	37'	41'	51'
-------	-----	-----	-----	-----	-----

**PENETRATING ROLLING
BLADES**

PULVERIZES CLODS

- **ONE PASS**
- **HIGH SPEED LEVELING**
- **CHEMICAL INCORPORATION**
- **EXCELLENT SEEDBED PREPARATION**
- **USE ALL SEASON-PRIMARY TILLAGE TO PLANTING**
- **PULL INDEPENDENTLY**
OR
- **IN TANDEM WITH DISC, CHISEL, BCW**
- **MORE VERSATILE THAN A 16 BAR HARROW**



**HYDRAULIC DEPTH ADJUSTMENT
ON THE GO ADJUSTMENT**



WAKO 4 ROW HARROW
THE ULTIMATE LONG LIFE HARROW






WAKO TORNADO TILLER DISC ATTACHMENT CUSTOMIZED TO FIT YOUR DISC



**TORNADO TILLER
DISC ATTACHMENT
FIELD VIDEO**



**LONG WEARING
TORNADO TINE**



**(580) 234-3434
(800) 299-4300**

**5606 N US HWY 81
ENID, OK 73701**

wakollc.com





HD GRASS AERATOR OR FERTILIZER APPLICATOR

8 & 10 ROW

PASTURE AERATOR

CONTINUOUS SLOT TO ABSORB MORE WATER
COULTER CUTS RUNNERS FOR HEALTHIER PLANT
LEAVES PASTURE SMOOTH
MAKES HAPPIER COWS



OPTIONS:
LIQUID FERTILIZER SYSTEM
NH3 SYSTEM
HITCH FOR HARROW
4 X 8 PRESS WHEEL ASSEM



NEW

HEAVY SHANK
2" WIDE BY 1-1/2"

- SWIVELING COULTER ASSEMBLY
- SPRING LOADED PRESS WHEEL
- EASY HOOK-UP HITCH
- HYDRAULIC FOLD
- EASY TRANSPORTATION
- DUAL GUAGE WHEELS



NEW

RUBBER TORSION
COULTER UNITS



WAKO FERTILIZER KNIVES HUNDREDS OF OPTIONS



FOR COMPLETE LINE OF SHANKS, KNIVES AND OPTIONS
SEE OUR FERTILIZER KNIVES CATALOG

2025 *CATALOG*

MANUFACTURING QUALITY AG EQUIPMENT SINCE 1962
FAMILY OWNED AND OPERATED

800-299-4300 / 580-234-3434
MICKI WARD - EXT. 406
PARTS COUNTER - EXT. 407, 409
PARTS COUNTER EMAIL - STORE@WAKOLLC.COM

5606 N. US 81 HWY
ENID, OK. 73701

VISIT

WAKOLLC.COM



YOUTUBE



FACEBOOK



TIK TOK



FOLLOW US



2025 © WAKO LLC

580-234-3434
800-299-4300

5606 N. US 81 HWY,
ENID, OK. 73701

WAKOLLC.COM

