

#### **Table of Contents**

**Pages** 

#### **Wako History**

#### INTRODUCTION

New Tillage Products  8", 10" Rhino Winged Chisel Spike  20" Fallow Sweep with Fertilizer Knife  26" Fallow Master Flat Wing	1
Heel Sweep w/ 1055 Chisel Plow Knife w/ Chisel Spike	2
Penetrators 8", 10", 12", 18"	3-5
High Lift Sweeps 20", 23", 27"	6
Chisel Sweeps 18"	7
Field Cultivator 9", 10", 11"	8
Chisel Spikes & Heel Sweeps	9-10
V-Blades	11-12
Disc Blades	13
Plow Bolts	14
Road Runner	15
Wako Sprayers	16
Big Country Chisel Plow	17-18
Big Country Attachment Options	19
Big Country - VT, Strip-Till, No-Till, Fertilizer Application	20
Flex Harrow Attachment	21
9 Row XT Flex Harrow	22
Soil Commander	23
Big Country Deep Ripper	24
Fertilizer Applicator	25
Tongue Jack's, Replacement Shank & Row Cleaner	26
Universal Fertilizer Knives	27
Big Country Fertilizer Knives	28

www.wakollc.com



#### Wako LLC - Built by Farmers, for Farmers

Founded in 1962 by Charles Bland in Wakita, Oklahoma, Wako began with one goal—solving the equipment challenges farmers faced. When essential parts were hard to find, Wako stepped up, designing durable, dependable tools built to match the dedication of the people who use them.

Since 1986, Wako's headquarters, manufacturing, assembly, and retail operations have been based in Enid, Oklahoma. Today, Wako is the largest fertilizer knife manufacturer in the U.S., also producing tillage tools, custom sprayers, toolbars, and providing expert service.

In 1997, the Big Country Equipment Line was launched to meet the demands of larger horsepower tractors, further proving Wako is more than parts and repairs—we build the big equipment farmers rely on.

With deep Oklahoma roots and nationwide reach, Wako continues to innovate tomorrow's equipment today—helping farmers feed the world.













## THE ULTIMATE LIST OF NEW 2026

### TILLAGE PRODUCTS



PART# TCS8W PART# TCS10W





#### **NEW**

#### 8" or 10" Rhino Winged Chisel Spike

- Hardfaced
- 1" Thick by 2" Wide Spike w/Chrome Cap
- Weight# 8" 9.4lbs
- Weight# 10" 10lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Hex Head

#### **NEW**

### Universal Fit For your Chisel Plow

Sweep Size: 5/16" Thick 20" Width

- Popular Low Disturbance Sweep
- Thin Profile Knife for Easy Pulling
- Chrome Cap & Wako Hardfaced Bottom
- Chrome Cap on Cutting Edge of Knife
- Weight# 16.93lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Plow Bolt

#### **NEW**

#### 26" Fallow Master Medium Crown Chisel Sweep

- Plain or Hardfaced Top or Bottom
- Wako Hardfaced with Cap
- 27" Wing Span
- Weight# 15.6lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Plow Bolt



### 18" Heel Sweep w/1055 Chisel Plow Knife

Heel Sweep Size: 18" - 5/16" Thick

- Apply Anhydrous Fertilizer While Simultaneously Killing Weeds
- Weight# Heel Sweep 9lbs
- Weight# 1055 Knife 6.93lbs

Bolt Size: 1/2"

**Bolt Spacing:** 2-1/4" **Bolt Type:** Plow Bolt



PART# TSCH18 PART# TCS8XH

### 18" Heel Sweep w/1" Chisel Spike

Heel Sweep Size: 18" - 5/16" Thick

Chisel Spike Size: 1" Thick 2" Wide

Chrome Cap: 3" Wide x 5" Length

- Weight# Heel Sweep 9lbs
- Weight# Chisel Spike 7.4lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Hex Head

# WHY CHOOSE WHY CHOOSE

## "Breaking Ground with Serious Tillage."


Wako uses a specialized steel that is Abrasion Resistant, long-wearing, and chrome-hardened—resulting in a robust material built to handle demanding applications where durability and wear resistance are essential.

When it comes to tillage tools, durability isn't just a bonus—it's a necessity. Wako's industry-leading hardfacing is what puts us a cut above the rest. Applied in-house by skilled craftsmen, our hardfacing isn't an afterthought—it's a precision process designed to drastically extend the life of your sweeps, knives, and wear points.

We don't just lay down more material—we do it smarter. Wako uses custom-blended hardfacing wire and strategic placement to reinforce high-wear areas without sacrificing performance or causing drag. The result? Tools that hold their edge longer, work harder, and keep you in the field—not in the shop.

And for even greater durability, Wako offers a hardfaced top with chrome cap, giving you superior resistance against wear and abrasion where it matters most.

www.wakollc.com




# THE WAKO DIFFERENCE

#### **Abrasion Resistant - Long Wearing**

Wako's Universal Chisel Penetrators are built tough with farmers in mind and engineered to fit your existing chisel plow, deliver reliable depth, and shatter soil for better root growth and water infiltration. The 35°(figure 1) sweep edge penetrates more aggressively than conventional sweeps, while boiling soil away from the plow bolts and shank to reduce wear and extend life. Each Penetrator receives a Chrome Cap Nose and then premium hardfacing for maximum durability.

Wako Hardfacing:
"Because Downtime Isn't
an Option."



www.wakollc.com

### WAKO PENETRATORS

YouTube Video





#### 8" Penetrator

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 5.1lbs

PART# TSCP08HHFC



**Bolt Spacing: 2-1/4" Bolt Type:** Plow Bolt



#### 10" Penetrator

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 5.7lbs

PART# TSCP10HHFC



Bolt Spacing: 2-1/4" **Bolt Type:** Plow Bolt



#### 12" Penetrator

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 7.3lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" **Bolt Type:** Plow Bolt

PART# TSCP12HHFC



#### 18" Penetrator

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 10lbs

PART# TSCP18HHFC

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" **Bolt Type:** Plow Bolt

### WAKO HIGH LIFT SWEEPS



#### **NEW**

#### 20" High Crown High Lift Sweep

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 10.4lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Plow Bolt

PART# TSCP20HHFC



#### **NEW**

#### 23" High Crown High Lift Sweep

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 12.71lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Plow Bolt

PART# TSCP23HHFC



#### **NEW**

#### 27" High Crown High Lift Sweep

- 50°Stem Angle
- 5/16" Thick
- 1/2" Plow Bolt
- 2-1/4" Centers
- Weight# 14.85lbs

Bolt Size: 1/2"

Bolt Spacing: 2-1/4" Bolt Type: Plow Bolt

PART# TSCP27HHFC

## CHISEL SWEEPS 18" STANDARD OR LOW CROWN

PLAIN OR HARDFACED/CHROME CAP NOSE

Wako Medium Crown Chisel Sweep

#### PLAIN

**Medium Crown** 

5/16" THICK 50° STEM ANGLE


PART NUMBER	DESCRIPTION
TSCMF18HPL	18" Chisel Sweep Plain
*NOT PAINTED HARDFACED/CHROMI	E CAPPED NOSE

STANDARD CROWN

5/16" THICK 50°STEM ANGLE

PART NUMBER	DESCRIPTION
TSCMF18HHFC	18" Chisel Sweep HF Bottom/Capped





HARDFACED BOTTOM WITH CHROME CAP

#### Wako Low Crown Chisel Sweep

#### **PLAIN**

Low Crown

50° STEM ANGLE

5/16" THICK

PART NUMBER	DESCRIPTION
TSCMX18HPL	18" LC Chisel Sweep Plain
*NOT PAINTED HARDFACED/CHROMI LOW CROWN 50°STEM ANGLE	E CAPPED NOSE 5/16" THICK
PART NUMBER	DESCRIPTION
TSCMX18HHFC	18" LC Chisel Sweep HF Bottom/Capped

### FIELD CULTIVATOR

**SWEEPS** 

PLAIN OR HARDFACED

**Wako Field Cultivator Sweep** 



#### **PLAIN**

1/4" THICK 47° STEM ANGLE

PART NUMBER	DESCRIPTION
TSFCM09PL	9" Field Cultivator Sweep 1/4" Plain
TSFCM10PL	10" Field Cultivator Sweep 1/4" Plain
TSFCM11PL	11" Field Cultivator Sweep 1/4" Plain

Stealth Field Cultivator Sweep

### CHROME CAPPED AND HARDFACED BY WAKO

1/4" THICK 47° STEM ANGLE

PART NUMBER	DESCRIPTION
TSFCM09HF	9" Field Cultivator Sweep 1/4" Hardfaced
TSFCM10HF	10" Field Cultivator Sweep 1/4" Hardfaced
TSFCM11HF	11" Field Cultivator Sweep 1/4" Hardfaced



Page 8

## CHISEL SPIKES F HEEL SWEEPS

Wako Chisel Spikes

Talon Chisel Spike Part # TCS8

#### **CHROME CAPPED**

Wako Manufactured 2" WIDE 2-1/4" BOLT HOLE CENTERS

PART NUMBER	DESCRIPTION
TCS8	Talon Chisel Spike 3/4" Thick, Capped (Requires 1/2" Plow Bolt)
TCS8XH	Raptor Chisel Spike 1" Thick, Capped (Requires 1/2" Hex Bolt)
TCS8W	Rhino Winged Chisel Spike 1" Thick, Capped (Requires 1/2" Plow Bolt)
KKNCP955A	1055 Chisel Spike Weight 6.93lbs (Requires 1/2" Plow Bolt)

RAPTOR CHISEL SPIKE Heaviest on the Market



#### Wako Chisel Heel Sweep

5/16" THICK 50° STEM ANGLE LONG WEARING BORON STEEL AR-1

PART NUMBER	DESCRIPTION
TSCH18	18" Chisel Heel Sweep Plain
TSCH18HF	18" Chisel Heel Sweep Hardfaced



Part # KKNCP1055A

## WHY CHOSE A WAKO HEEL SWEEP W/CHISEL SPIKE

Moisture Retention "Do more in a single pass."

#### **Abrasion Resistant - Long Wearing**

The Wako Heel Sweep with Chisel Spike combines two proven tools into one durable design. The chisel spike delivers deep soil penetration to break hardpan and improve while the heel sweep provides effective weed control. Together, they create a versatile option for farmers. The heel sweep with chisel spike is built to stand up to demanding field conditions and deliver consistent performance. It's a cost-effective solution that saves time, reduces equipment wear, and prepares the soil for stronger yields.

When you need depth, durability, and efficiency, Wako's Heel Sweep with Chisel Spike delivers all three.

www.wakollc.com

Heel Sweep also used with a Wako Fertilizer Knife.

## WAKO V-BLADES SWEEP PLOW BLADES

HARDFACED



SIZES: 5', 5-1/2', 6', 6-1/2', 7'

HARDFACED NOSE Hardfaced Top or Bottom	
PART NUMBER	DESCRIPTION
TSWB5HFT	5' Top HF
TSWB5HFB	5' Bottom HF
TSWB55HFT	5-1/2' Top HF
TSWB55HFB	5-1/2' Bottom HF
TSWB6HFT	6' Top HF
TSWB6HFB	6' Bottom HF
TSWB65HFT	6-1/2' Top HF
TSWB65HFB	6-1/2' Bottom HF
TSWB7HFT	7' Top HF
TSWB7HFB	7' Bottom HF

SIZES: 5', 5-1/2', 6', 6-1/2', 7'

CHROME CAPPED NOSE Hardfaced Top or Botton	
PART NUMBER	DESCRIPTION
TSWB5HFTC	5' Top HF
TSWB5HFBC	5' Bottom HF
TSWB55HFTC	5-1/2' Top HF
TSWB55HFBC	5-1/2' Bottom HF
TSWB6HFTC	6' Top HF
TSWB6HFBC	6' Bottom HF
TSWB65HFTC	6-1/2' Top HF
TSWB65HFBC	6-1/2' Bottom HF
TSWB7HFTC	7' Top HF
TSWB7HFBC	7' Bottom HF



### WAKO V-BLADES

#### **Abrasion Resistant - Long Wearing**

For over 60 years, Wako has built quality Agricultural products using proven methods farmer's trust.

When the industry faced shortages in 2020, farmers turned to Wako. That demand drove extensive research, development, and equipment investment, resulting in a V-Blade we're proud to supply to the Ag community. Everything we do reflects our motto: helping farmers feed the world.

Our blades are made from abrasion-resistant, long-wearing steel and then we use premium hard facing. A higher-cost component we've thoroughly tested, refined, and proven in the field. Wako hard facing isn't cheap because longevity isn't cheap, but our V-Blades are priced right, delivering exceptional value through longer life and reduced downtime.

"Durability Meets Performance."



www.wakollc.com

## DISC BLADES (ROLLABLE)

LONG WEARING, ABRASION RESISTANT, CHROME BORON

#### **Standard Concave**

S



#### **Coulter Blades**

Plain/ Fluted/ Crucible/ Turbo/ Wavy

SIZE	THICKNESS	DESCRIPTION
17"	4.0mm	Wavy, 4 Hole
18"	4.5mm	Plain, 4 Hole
20"	4.5mm	Plain, 8 Hole
20"	4.5mm	Fluted, 8 Hole
20"	4.5mm	Crucible, 8 Hole
20"	5mm	Turbo, 4 Hole
22"	4.5mm	Plain
24"	5.0mm	Plain, 8 Hole
24"	6.0mm	Heavy Single Bevel, 6 Bolt

Fluted Coulter



Plain Coulter



Turbo Coulter



Crucible Coulter



## PLOW BOLTS LOCK WASHER & NUT

PACKAGED PLOW BOLTS / AVAILABLE IN BULK

#### 50 each, Grade 5 Plow Bolt and Nut

Boron Steel for longer headwear.

PART NUMBER	SIZE
FPB38114PACK	3/8" X 1-1/4"
FPB38112PACK	3/8" X 1-1/2"
FPB76114PACK	7/16" X 1-1/4"
FPB76112PACK	7/16" X 1-1/2"
FPB76134PACK	7/16" X 1-3/4"
FPB12114PACK	1/2" X 1-1/4"
FPB12134PACK	1/2" X 1-3/4"
FPB12212PACK	1/2" X 2-1/2"
FPB12234PACK	1/2" X 2-3/4"
FPB123PACK	1/2" X 3"





#### 50 each, Grade 5 Plow Bolt and Over Sized Nut

Boron Steel for longer headwear.

PART NUMBER	SIZE
FPB12112PACK0SN	1/2" X 1-1/2"
FPB12134PACK0SN	1/2" X 1-3/4"



#### 50 each, Grade 5 Plow Bolt and Whiz Nut

Boron Steel for longer headwear.

PART NUMBER	SIZE
FPB38114PACKWHI	3/8" X 1-1/4"
FPB38112PACKWHI	3/8" X 1-1/2"
FPB76114PACKWHI	7/16" X 1-1/4"
FPB76112PACKWHI	7/16" X 1-1/2"
FPB76134PACKWHI	7/16" X 1-3/4"
FPB12114PACKWHI	1/2" X 1-1/4"
FPB12134PACKWHI	1/2" X 1-3/4"
FPB12212PACKWHI	1/2" X 2-1/2"
FPB12234PACKWHI	1/2" X 2-3/4"
FPB123PACKWHI	1/2" X 3"









Page 14



The *Wako RoadRunner75* is a 75-gallon sprayer designed to fit in the back of your UTV. Available in gas or electric models with electronic cab controls, it's built for convenience and performance. Whether you're spot spraying, working fence lines, yards, pastures, food plots, or hard-to-reach areas, the RoadRunner75 is up for the job. Comes with boomless nozzles and includes a hand wand for spot spraying. Durable, easy to operate, and ready to go wherever you do.

#### **WAKO SPRAYERS**

## BIG OR SMALL WE HAVE IT ALL!

#### **WAKO SPRAYER OPTIONS:**

- Skid Sprayer
- Cattle Sprayer
- Trailer Sprayer
- 3 Point Sprayer
- Fire Fighter Sprayer
- Drone Trailer Sprayer
- Semi-Trailer Sprayer
- Mini-Mite ATV Sprayer
- Mini-Mite Trailer Sprayer
- Roadrunner75 UTV Sprayer

#### **LIVESTOCK SPRAYER**



Wako Livestock Sprayer is more than just for cattle.
Easily detach the cattle sprayer arm and attach booms to suit your spraying needs. Versatile, efficient, and built for multiple uses.

#### TRAILER SPRAYER



**Wako's Trailer Sprayer with Fire Fighter Kit** is built for versatility purposes. Use it for fire control, weed and pest spraying, dust suppression, watering, and more.

### ROADRUNNER75 UTV/SPRAYER

#### **Key Features:**

#### All of Wako RoadRunners Include:

- 75 Gallon AceTank
- 30' EPDM Hose w/Reel
- Handwand
- Banjo Fittings
- Cab Access Control
- 30' Boomless Nozzle Kit
- Swivel Boom w/Boomless Nozzles

#### **Optional:**

- Electronic Cab Controls
- Foam Marker System
- 12', 18', 22', Steel Boom w/Dripless Nozzles

#### Optional (Gas Only):

- Cattle Sprayer Attachment
- Fire Fighter Kit

### UTV CAB ENCLOSURE NEVER LEAVE YOUR CAB

**ELECTRIC CAB CONTROLS** 



#### **BOOMLESS NOZZLES**





#### **Gas Powered Features:**

Honda EngineGX1605.5HPW/Ace Centrifugal Pump

#### **Electric Features:**

5.3GPMRemcoDiaphramPumpw/Pressure Switch

#### **FOAM MARKER SYSTEM**



#### **FOAM MARKER**



PART#	SIZE
ASRW075E	75 GALLON 12VELECTRIC 5.3 GPM
ASRW075ECC	75 GALLON 12V ELECTRIC 5.3 GPM W/CAB CONTROL
ASRW075	75 GALLON GAS 5.5HP HONA GX 160
ASRW075GCC	75 GALLON GAS 5.5HP HONA GX 160 W/CAB CONTROL

### BIG COUNTRY LINE OF EQUIPMENT



## BIG COUNTRY CHISEL PLOW

Customer: "I wouldn't change a thing"

26'-62' BCW FRAME WITH BULL SHANK SYSTEM SO MANY OPTIONS:

- **DEEP TILL** MINI-RIPPER
- PRIMARY TILL 50° ADAPTOR AND RAPTOR SPIKE
- FULL TILL 50° ADAPTOR AND PENETRATOR SWEEP OR STANDARD CHISEL SWEEP
- MINIMUM TILL 20" OR 22" FIELD FINISHER SWEEP (NH3 OPTION)

#### Also Availalbe

- VERTICAL TILL SOIL MANAGER 75 (SM75)
- STRIP-TILL RZM (AVAILABLE IN 12, 16, 18, 24 ROWS, 30" CENTER)
- NO-TILL NTO II COULTER, OFFSET APPLICATION
- FERTILIZER APPLICATION KNIVES, (DUAL TUBES & SEALERS OPT.)

#### Vertical Till SM75



#### **Penetrators**



### BIG COUNTRY CHISEL PLOW



BIG COUNTRY CHISEL PLOW FIELD VIDEO

> **Big Country Wagon** (BCW) Mini-Rippers Wako 4 Row Harrow



(BCW) 4"X 6"FRAME: Tough enough to withstand high horsepower tractors.

#### Mini-Rippers



#### 22" Field Finisher Sweeps



### BIG COUNTRY CHISEL PLOW



(BCW) OPTIONS



#### Mini-Ripper

#### Renripper Point Chrome Cap

- · Grazed out wheat pasture
- First pass after harvest
- Maximum Depth
- Opens soil for moisture intake

#### **Bull Shank Assembly**



#### Chisel (BCW) 50° Adaptor Receives Any 50° Sweep or Spike



#### Field Finisher/ Fallow Sweep

(BCW) 20" or 22" Field Finish/Fallow Sweep Capped and Hardfaced Bottom



PART # KKNC560SAHHFC 20" PART # KKNC561SAHHFC 22" (BCW) Frog for 20" or 22" Sweep



#### (BCW) FF/FS Complete Unit

Weed Kill Leaves 90%
Residue on Surface
After Last Application
for NH3 Use

PART # KKNC560BC NO TUBE
PART # KKNC560BCNH3 3/8" NH3 TUBE

Page 19

### BIG COUNTRY

VT, STRIP-TILL, NO-TILL, FERTILIZER APPLICATOR (BCW) OPTIONS



#### **Vertical Tillage**



SM-75

Soil Manager cuts every 7.5 inches High Speed Process.

- Aerates
- Chopping
- Water Absorption
- Seedbed Preparation

20" 8 Wave Blade



20" Notched



Big Country Fertilizer Knives Many Choices

Use in Grass or Field.



FOR A COMPLETE LINE OF KNIVES SEE OUR FERTILIZER KNIVES CATALOG

- Aggressive Soil DisturbanceSeals Well
- Works in wet Conditions





Low Soil DisturbanceStrip-Till

No Continuous Slot


See pg 28

Minimal Soil Disturbance Seals Well Vapor Tube

#### No-Till Offset II Units



- No-Till
- Minimal Disturbance
- High Speed



Page 20

### FLEX HARROW ATTACHMENT



FOR YOUR FIELD CULTIVATOR OR CHISEL

#### Flex Harrow Attachment



So we made our harrows compatible with all machines.



Long lasting chrome insert on every tine.



#### **Need for Quote:**

- Implement Type
- Frame Size and Width
- Section Size
- Number of Shanks per Section
- Shank Spacing

# 9 ROW XT FLEX HARROW



#### 9 Row Wako XT Flex Harrow



Long Lasting Chrome Insert on Every Tine.

9 ROW HARROW FIELD VIDEO

PART NUMBER	SIZE	
Z5000-25	25'	
Z5000-28	28'	
Z5000-31	31'	
Z5000-33	33'	
Z5000-34	34'	
Z5000-36	36'	
Z5000-39	39'	
Z5000-42	42'	
Z5000-45	45'	
Z5000-51	51'	

#### **Heaviest Harrow Available**



Available in Widths of 25'-51'

# SOIL COMMANDER



#### Soil Commander - Your go to Implement



31' 37 **SIZES** 



SOIL COMMANDER FIELD VIDEO

- High Speed Leveling Chemical Incorporation Excellent Seedbed Preparation Use all Season-Primary Tillage to Planting Pull Independently or in Tandem with Disc, Chisel, BCW More Versatile than a 16 Bar Harrow

#### Wako 4 Row Harrow

The Ultimate Long Life Harrow



#### **Penetrating Rolling Blades**

Pulverizes Clods



Hydraulic Depth Adjustment On the go Adjustment



### BIG COUNTRY DEEP RIPPER



#### NEW WAKO DEEP RIPPER

DEEP RIPPER FIELD VIDEO



#### UTILIZING OUR HEAVY FRAME WE HAVE DEVELOPED A RIPPER ON 24" CENTERS

- · Double "C" Shank
- Easy Pulling
- 1/2" Blade
- High Chrome Insert on Leading Edge
- 2" Wide, 25° for Hardpan Lift
- Replaceable High Chrome Point
- 5/8" x 6" High Tinsile Strength Steel



### FERTILIZER APPLICATOR



#### **HD Grass Aerator or Fertilizer Applicator**



- Continuous Slot to Absorb more Water
- Coulter cuts Runners for Healthier Plant
- Leaves Pasture Smooth
- Makes Happier Cows

FERTILIZER APPLICATOR
FIELD VIDEO



Liquid Fertilizer System / NH3 System / Hitch for Harrow / 4 x 8 Press Wheel Assembly



- Swiveling Coulter Assembly
- Spring Loaded Press Wheel
- Easy Hook-Up Hitch
- Hydraulic Fold
- Easy Transportation
- Dual Guage Wheels

#### **NEW**

Rubber Torsion
Coulter Units




### TONGUE JACK'S, REPLACEMENT SHANKS & ROW CLEANER


#### **Tongue Jacks**

PART#	DESCRIPTION
MTJA15T2	JACK A-FRAME 15" 5000# TW RD
MTJ10T5TW	JACK TUBE MT 10" 5000# TW RD
MTJ15T5TW	JACK TUBE MT 15" 5000# TW RD
MTJ10T5SW	JACK TUBE MT 10" 5000# SW RD
MTJ10B1SW	JACK BOLT MT 10" 1000# SW RD
MTJ15T7S	JACK TUBE MT 15" 5000# SW RD

PART#	DESCRIPTION
KSH1295 SHANK	BLUE JET SIDE MOUNT DMI
KSH1298 SHANK	SIDE MOUNT (PICTURED)




#### **Row Cleaner Replacement Parts**



HUB IS 3-BOLT ON 5.00" BOLT CIRCLE, WITH 2.76" PILOT

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	FFW34	WASHER ¾ FLAT	1
2	FNT34S	NUT 3/4- 16 CASTELLATED	1
3	QPPC182	COTTER PIN 1/4 X2	1
4	WHB14970	SEAL REPLACEMENT	1
5	WHB44610	BEARING RACE L44610	2
6	WHB4443	BEARING CONE L44643	2
7	WHBHUB-WAKO-2	HUB ONLY	1
8	WHBHUB-WAKO2	SPINDLE	1
9	Z2775Y	D BOLT	1

PART NO. DESCRIPTION
WHB2488-ASM HUB ASSY, 3-BOLT





### FERTILIZER KNIVES



#### Wako Universal Fertilizer Knives - Hundreds of Options

















Part # KKNWW50A

Part # KKNFC405A





Page 27

For Complete Line of Shanks, Knives and Options - See our Fertilizer Knives Catalog

### BIG COUNTRY FERTILIZER KNIVES


















For Complete Line of Shanks, Knives and Options - See our Fertilizer Knives Catalog

# 2026 NEW TILLAGE CATALOG

MANUFACTURING QUALITY AG EQUIPMENT SINCE 1962 FAMILY OWNED AND OPERATED

**WAKOLLC.COM** 



**YOUTUBE** 



**FACEBOOK** 



TIK TOK



800-299-4300 / 580-234-3434

PARTS COUNTER - EXT. 407, 409

PARTS COUNTER EMAIL - STORE@WAKOLLC.COM

5606 N. US 81 HWY, ENID, OK 73701









